

HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING

3430 Courthouse Drive ♦ Ellicott City, Maryland 21043 ♦ 410-313-2350

Marsha S. McLaughlin, Director

www.co.ho.md.us FAX 410-313-3467 TDD 410-313-2323

TECHNICAL STAFF REPORT

Planning Board Meeting of December 11, 2014

SDP-15-019, Wilde Lake Middle School, Village of Wilde Lake, Section 11, Case No./Project Name:

Area 1. Lot 1

Howard County Public School System, Owner Property Owner:

Subject: The subject site is identified as "Village of Wilde Lake, Section 11, Area 1" on Tax Map

29, Grid 24, Parcel 280, Lot 1, in the Fifth Election District of Howard County.

Request:

The request is for approval of Site Development Plan (SDP) for the construction of a new middle school, athletic fields, parking areas, and required SWM on a portion of a 52.3 acre parcel which is Zoned New Town Credited and Non-Credited Open Space in accordance with Final Development Plan 45-A-III. Planning Board approval is required for the proposed construction of the new school, athletic fields, parking area, and to allow for an adjustment in the 6-foot height limitation for the installation of an 8-foot high chain link fence to be located along a portion of the northern property boundary (adjacent to the existing tennis courts and the entrance roadway). The 8' high chain link fence will provide an enclosure for the solar


panels for the Middle School.

The subject site is located on the south side of Cross Fox Lane, also known as Location:

10481 Cross Fox Lane.

DPZ Recommendation: Approval, subject to compliance with any comments from the Planning Board,

and compliance with the SRC agency comments issued for SDP-15-019.



SDP-15-019 Page Two

Vicinal Properties:

To the south of the property are commercially zoned properties.

To the west are residential apartment complexes.

To the north are tennis courts and the Village of Wilde Lake community hall and pool owned by the Columbia Association, and the Wilde Lake Interfaith Center.

To the east are residential apartment complexes.

Site History:

FDP-45: recorded on August 28, 1968 as plat book 16, folio 21.

FDP-45-A: recorded on November 29, 1968 as plat book 16, folio 62 corrected errors in computations for open space area.

FDP-45-A-I: recorded on October 2, 1996 as plat book 3054A, folio 1568 adjusted the percent of land devoted to open space land use and updated the section designation in the criteria.


FDP-45-A-II: recorded on November 14, 2003 as plat 16318 amended the criterion to include parking to support an adjacent New Town Employment Center – Commercial site as a permitted land use and to revise the percentage of credited and non-credited open space acreages.

FDP-45-A-III: recorded on October 24, 2014 as plat 23022-23025 for the conversion of one (1) acre of credited open space to non-credited open space for a proposed parking lot provided under SDP-15-019.

SDP-70-008: Site Development Plan for athletic field improvements was approved on January 2, 1970.

SDP-75-019: Site Development Plan for a Middle School addition was approved on November 21, 1974.

SDP-94-100: Site Development Plan for the construction of the High School was approved on June 27, 1994.



SDP-15-019 Page Three

Legal Notice:

The subject property was properly posted with one (1) official Planning Board notice with the date, time and place of this meeting for 15 consecutive days prior to this public meeting. In addition, an electronic notification of the meeting was sent to the Columbia Village Boards, the Columbia Association, Howard County Council members and pre-submission meeting attendees who provided e-mail addresses.

Site Analysis:

Site Improvements – The proposed site improvements include the construction of a new two-story Middle School approximately 106,221 square feet in size, athletic fields, parking area, geothermal area, solar panels with the installation of an 8' high chain link fence enclosure, landscaping and SWM features. The existing Middle School and portable classrooms will be removed upon completion of the new school. Construction activity will not occur within the area of the existing High School.

Storm Water Management (SWM) – Four (4) Bioretention BMP's will provide the total environmental site design (ESD) volume required. The BMP's will be privately owned and maintained.

Environmental Considerations - There are no wetlands, streams, buffers or 100-year floodplain areas located within the limit of disturbance.

Landscaping – This project complies with the perimeter landscaping requirements of Section 16.124 of the Howard County Code and Landscape Manual through the proposed planting of 84 shade trees and 35 evergreen trees. The Howard Research and Development Corporation does not have architectural and landscaping review rights over the Village of Wilde Lake, Section 11, Area 1. This plan has received support from the Wilde Lake Village Board.

FDP Development Criteria Requirements – The SDP is in compliance with all applicable requirements of FDP-45-A-III, except for the height of the 8-foot high chain link fencing which surrounds the area of the solar panels. The FDP restricts the height of a fence to 6' without Planning Board approval.

Setback Requirement (Criteria Item 6):

No structure shall be located within 30 feet of the right-of-way of any public street, road or highway or within 25 feet of any property line. In addition, fencing not exceeding 6 feet height, or other similar minor structures upon which no restriction as to location is imposed. There are no proposed structures within the 30-foot or 25-foot setback. However, the applicant has requested an adjustment in the 6-foot high fence to allow an 8-foot high chain link fence. (See page 4 for an explanation)

Permitted Uses (Criteria Item 7):

Lot 1 shall be used as a public school and as parking to support an adjacent New Town Employment Center Commercial zoned site. The proposed building use is in compliance with this criterion.

SDP-15-019 Page Four

Height Limitations (Criteria Item 8):

No height limitation is imposed upon structures constructed within Open Space Land Use Areas, provided improvements thereon are constructed in accordance with a site development plan approved by the Howard County Planning Board. The proposed maximum building height is 31'-4".

Parking Requirements (Criteria 9):

No parking requirements are imposed upon any of the land within the Final Development Plan devoted to open space uses. The plan proposes 108 parking spaces including 5 handicapped spaces and 6 low emission and fuel efficient vehicle spaces and 15 bus stacking spaces.

Coverage Requirements (Criteria 12):

In no event shall more than 10 percent of the land included within any lot within this Final Development Plan Phase be covered by buildings or other major structures, except in accordance with a site development plan approved by the Howard County Planning Board. No coverage limitation is imposed upon areas used for shrubbery, sidewalks, paved parking areas, etc. No additional coverage is being proposed with the site development plan. The proposed building coverage including the existing high school and proposed middle school is 9.46%.

Evaluation and Conclusions:

In accordance with Section 125.0.G.4.d. of the Zoning Regulations, the requested fence height adjustment shall be evaluated and granted if the Planning Board finds that the following two criteria items are satisfied:

1. The adjustment will not alter the character of the neighborhood, will not impair the use or development of the adjacent property, and will not be detrimental to the public welfare.

Granting the requested adjustment will not impair the appropriate use or development of the adjacent northern property which is also zoned New Town Open Space. The 8-foot high chain link fence enclosure will not change the character of the neighborhood because the adjacent property is improved with several tennis courts which are surrounded by 10-foot high chain link fencing.

2. The adjustment is needed due to practical difficulties or unnecessary hardships which arise in complying in strictly with the FDP and/or results in better design than would be allowed by strict compliance with the development criteria.

In support of this height adjustment request, the applicant states that the additional fence height is necessary to provide a secured area for the solar panels. The proposed location of the fence and solar panels on the existing slopes results in a better design than would be allowed by strict compliance with the development criteria due to the steepness of the existing slopes which prevents any type of outdoor activities for the middle school.

SDP-15-019 Page Five

SRC Action:

By letter dated November 18, 2014, the Department of Planning and Zoning determined that Site Development Plan SDP-15-019 is technically complete.

Please note that this file is available for public review at the Department of Planning and Zoning's public service counter, Monday through Friday, 8:00 a.m. to 5:00 p.m.

Recommendation:

The Department of Planning and Zoning recommends that the Planning Board approve this SDP subject to compliance with any comments from the Planning Board and compliance with the SRC agency comments issued for SDP-15-019.

Marsha S. McLaughlin, Director

Department of Planning and Zoning

11/18/14 Date



WILDE LAKE COMMUNITY ASSOCIATION

SLAYTON HOUSE 10400 Cross Fox Lane Columbia, Maryland 21044-2398 410-730-3987 Fax 410-730-6695

August 7, 2014

Charles Crovo, Sr. Fisher, Collins & Carter, Inc. Centennial Square Office Park 10272 Baltimore National Pike Ellicott City, Maryland 21042

Re:

Wilde Lake Middle School

Dear Mr. Crovo,


On behalf of the Wilde Lake Village Board, I would like to thank you for presenting the detailed plans for the new Wilde Lake Middle School building to Board members on Monday, August 4.

The Wilde Lake Village Board fully supports the project. The unique energy efficiency initiatives and the improved academic spaces in the new school building will be a valuable asset for Wilde Lake students and the entire community.

Please feel free to contact me if you have any questions.

Sincerely,

Kristin Shulder Village Manager



| | SHEET INDEX |
|-----------------|--|
| SHEET NUMBER | DESCRIPTION |
| i | TITLE SHEET |
| 2 | DEMOLITION PLAN |
| 3 | DEMOLITION PLAN |
| 4 | SITE DEVELOPMENT PLAN |
| 5 | SITE DEVELOPMENT PLAN GEOMETRY PLAN |
| 7 | GEOMETRY PLAN |
| é | SEDIMENT AND EROSION CONTROL PLAN |
| 9 | SEDIMENT AND EROSION CONTROL PLAN |
| 10 | SOILS AND STORMDRAIN DRAINAGE AREA MAP |
| 11 | SOILS AND STORMDRAIN DRAINAGE AREA MAP |
| 12 | DETAIL SHEET |
| 13 | DETAIL SHEET |
| 14 | BUILDING, ELEVATIONS AND DETAILS |
| 15 | SEDIMENT AND EROSION CONTROL NOTES |
| 16 | SEDIMENT AND EROSION CONTROL NOTES AND DETAILS BORING LOGS |
| 18 | BORING LOGS |
| 19 | LANDSCAPE PLAN |
| 20 | LANDSCAPE PLAN |
| 21 | LANDSCAPE NOTES AND DETAILS |
| 22 | HANDICAP ACCESS PLAN |
| 23 | PRIVATE SEWER MAINS: PROFILE AND CHART & HANDICAP ACCESS RAMP |
| 24 | STORM DRAIN PROFILES |
| 25 | STORM DRAIN PROFILES, DETAILS AND STRUCTURE SCHEDULE |
| 26 27 | DEMOLITION PLAN - PHASE 1 DEMOLITION PLAN - PHASE 1 |
| 28 | SITE DEVELOPMENT PLAN - PHASE 1 |
| 29 | SITE DEVELOPMENT PLAN - PHASE I |
| 30 | DEMOLITION PLAN - PHASE 2 |
| 31 | DEMOLITION PLAN - PHASE 2 |
| 32 | SITE DEVELOPMENT PLAN - PHASE 2 |
| 33 | SITE DEVELOPMENT PLAN - PHASE 2 DEMOLITION PLAN - PHASE 3 |
| 35 | DEMOLITION PLAN - PHASE 3 |
| 36 | SITE DEVELOPMENT PLAN - PHASE 3 |
| 37 | SITE DEVELOPMENT PLAN - PHASE 3 |
| 38 | PAVEMENT MARKINGS AND SIGNAGE PLAN |
| 39 | PAVEMENT MARKINGS AND SIGNAGE PLAN |
| 40 | 50ILS AND DRAINAGE AREA MAP - TEMPORARY PARKING LOT |
| 41 | RETAINING WALL PLAN AND DETAILS |
| 42 | RETAINING WALL ELEVATION |
| 44 | BMP #1 UNDERDRAIN PROFILE & TEMPORARY SWM POND #1 OUTFALL PROFILE |
| 45 | BMP #2 UNDERDRAIN OUTFALL PROFILE BMP #3 & BMP #4 UNDERDRAIN OUTALL PROFILES |
| 46 | TEMPORARY STORMWATER MANAGEMENT AT BMP #4 OUTALL PROFILE |
| 47 | STORMWATER MANAGEMENT BMP DETAILS |
| 48 | STORMWATER MANAGEMENT BMP #4 FOREBAY DETAIL |
| 49 | STORMWATER MANAGEMENT BMP #1 PLANTING PLAN |
| 50 | STORMWATER MANAGEMENT BMP #2 PLANTING PLAN |
| 51 | STORMWATER MANAGEMENT BMP'S #3 & #4 PLANTING PLANS |
| 52 | STORMWATER MANAGEMENT SPECIFICATIONS & NOTES |
| 53 54 | PHOTOMETRICS PLAN PHOTOMETRICS PLAN |
| 77 | CUCIONERIO COM |
| | |
| | |

SITE ANALYSIS DATA AREA TABULATION:
 A. TOTAL PROJECT AREA: 52.30 AC±

TOTAL AREA OF WETLANDS: N/A

LIMIT OF DISTURBANCE: 14.0 AC±

B. TOTAL AREA OF R/W DEDICATION: 0 AC.± C. TOTAL AREA OF SITE: 52.30 AC.±

E. TOTAL AREA OF WETLANDS: N/A
F. TOTAL AREA OF WETLANDS BUFFER: N/A
G. TOTAL AREA OF FLOODPLAIN: N/A
H. TOTAL AREA OF FLOODPLAIN: BUFFERS: N/A
I. TOTAL AREA OF SLOPES 15%-25%: N/A
J. TOTAL AREA OF SLOPES 25% AND GREATER: N/A
K. THERE ARE NO ERODIBLE SOILS ON THIS SITE.

D. BUILDING COVERAGE: MIDDLE SCHOOL & HIGH SCHOOL 215,622 SF (9.46%)

LIMIT OF DISTURBANCE: 14.8 AC±
PROPOSED USE OF SITE OR STRUCTURE: PUBLIC MIDDLE SCHOOL
ZONED: NEWTOWN (NT) CREDITED OPEN SPACE (44.77 AC.)
NON-CREDITED OPEN SPACE (7.529 AC.)

& 6 LOW EMISSION & FUEL EFFICIENT VEHICLES SPACES)
C. TOTAL NUMBER OF BUS STACKING SPACES PROVIDED = 15

A. OPEN SPACE LAND USE (ENTIRE PARCEL): 52.30 AC±
OPEN SPACE CREDITED: 44.77 AC± *
OPEN SPACE NON-CREDITED: 7.529 AC± *

2. PARKING SPACE DATA:
A. THE NUMBER OF PARKING SPACES IN ACCORDANCE WITH THE PUBLIC SCHOOL SYSTEM'S

3. BUILDING COVERAGE PERMITTED: 227,019 SF OR 5.23 AC = 10% OF GROSS TRACT AREA BUILDING COVERAGE PROPOSED: EXISTING HIGH SCHOOL = 109,401 SF PROPOSED MIDDLE SCHOOL = 106,221 SF EXISTING PORTABLE CLASSROOMS = 12,621 SF

B. NUMBER OF SPACES PROPOSED UNDER THIS SITE PLAN = 100 (INCLUDING 5 HANDICAPPED SPACES

TOTAL 2282,243 SF (10.02%)

EXCLUDING PORTABLE CLASSROOMS BUILDING COVERAGE = 215,622 SF 0R. 4.95 AC. = 9,46% OF GROSS TRACT AREA


ACREAGES SHOWN ARE PERMITTED ACREAGES BASED UPON AMENDED FDP-FORTY FIVE-A-III CRITERIA

| | LEGEND |
|-------------------------|-----------------------------------|
| 5YMBOL | DESCRIPTION |
| 108 | EXISTING CONTOUR 2' INTERVAL |
| 110 | EXISTING CONTOUR 10" INTERVAL |
| s | EXISTING SAN. SEWER LINE |
| p | existing storm drain line |
| v | EXISTING WATER LINE |
| | EXISTING UNDERGROUD ELECTRIC LINE |
| «/w | EXISTING CABLE/TV LINE |
| | EXISTING FIBER OPTIC/CABLE LINE |
| | EXISTING GAS LINE |
| — x — x — | EXISTING FENCE |
| -××- | PROPOSED FENCE |
| 108 | PROPOSED CONTOUR 2' INTERVAL |
| 110 | PROPOSED CONTOUR 10' INTERVAL |
| + 107.30 | PROPOSED SPOT ELEVATION |
| E2.533.FE | PROPOSED CONCRETE WALK |
| | PROPOSED MACADAM PAVING |
| (3) **** (4) ⊕ ○ | EXISTING TREE AND SHRUB |
| ~~~~~ | EXISTING TREELINE |
| mmm | PROPOSED TREELINE |
| 8" W | PROPOSED PUBLIC WATER |
| 6" W | PROPOSED PRIVATE WATER |
| 16" RCCP | PROPOSED STORMDRAIN |
| 6 5 | PROPOSED PRIVATE SEWER |
| 6" 5 | PROPOSED PUBLIC SEWER |
| 294229623 | PROPOSED GRASS PAVERS |
| | SOILS DELINEATION |
| 65F | SUPER SILT FENCE |

SITE DEVELOPMENT PLAN WILDE LAKE MIDDLE SCHOOL

VILLAGE OF WILDE LAKE SECTION 11 AREA 1


TAX MAP No.: 29, GRID No.: 24, PARCEL No.: 280 FIFTH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND



BENCHMARK INFORMATION

B.M.# - HOWARD COUNTY CONTROL STATION #35C2 - HORIZOTIAL - NAD '83)
(LOCATED IN THE ISANIO NEAR THE INTERSECTION OF CLOZE ALBE & LITTLE PATUXENT PARKWAY. APPROX. 4.56' BEHIND THE CURB AND 10' NORTH OF METAL POST)
N 563,920,837
E 1,344,204,123
ELEJAHOON = 463,411 - VERTICAL - (NAVD '98)

B.M.#2 - HOWARD COUNTY CONTROL STATION #36AA - HORIZONTAL - (NAD '83)
(LOCATED ALONG LITTLE PATUKENT PARKWAY NEAR THE INTERSECTION OF BROKEN LAND PARKWAY.
APPROX. 1.5' BEHIND THE CURB AND 2' OFF EDGE OF SIDEWALK)
1,562,804 895
E. 1,349,906,173
ELEVATION - 359,173 - VERTICAL - (NAVD '88)



GENERAL NOTES

CENERAL NOTES

1. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LUTSET STANDARDS AND SPECIFICATIONS OF HOMARD COUNTY PLUS MSHA STANDARDS AND SPECIFICATIONS IF APPLICABLE.

2. THE CONTROLOTOR SHALL HOTHY THE DEPARTMENT OF PUBLIC MORKS/PURGELU OF SHIGHERING/CONSTRUCTION INSPECTION DIVISION AT 410-313-1860 AT LEAST FIVE MORKING DAYS PRIOR TO START OF WORK.

3. THE CONTROLOTOR SHALL HOTHY HIS UTILITY AT 1-800-227-7777 AT LEAST 48 HOURS PRIOR TO ANY DIGGRING, AND EXCLARITION MORK.

4. PROJECT BACKGROUND: SURDOSSION NANE VILLAGE OF MILIED LAKE, SECTION 11. AREA 1

TAX HAP 29, CRID 24, TAX HAP 35, GRID 6, PACCEL NO. 280

ZONING: THIS PROJECT IS ZONDO NEUTOWN, O'PEN SPACE CREDITED AND NON CREDITED PER THE COMPREHENSIVE ZONING PLAN DATED OCTOBER 06, 2013 AND FDP-45-A-III.

ELECTION DISTRICT: FIFTH
GROSS SITE AREA S.2.30 A.C.*

NUMBER OF BUILDABLE PARCELES: 1

AREA OF PUBLIC ROMAWAY TO BE DEDICATED: 0 A.C.*

AREA OF FUDOPIAIN: 0 A.C.:

AREA OF TRACT: 52.30 A.C.*

NET AREA OF TRACT: 52.30 A.C.*

THERE IS NO PLODOPLAN ON THIS SITE.

STORMARTER MANAGEMENT (SWM) IS PROVIDED IN ACCORDANCE WITH THE CURRENT MORE STORMARTER MANAGEMENT (SWM) IS PROVIDED IN ACCORDANCE WITH THE CURRENT MORE STORMARTER MANAGEMENT SITE DESIGN, COOLINOATER RECHARGE IS STORED IN ACCORDANCE WITH THE CURRENT MANAGEMENT SITE DESIGN, COOLINOATER RECHARGE IS STORED IN ACCORDANCE WITH THE REQUIRED SEPARATH THE BMP UNDERDRAWS, NON-ROOFTOP DISCONNECTION CREDIT IS USED WHERE PRACTICABLE. THE REQUIRED ESTO VOLUME WILL BE CAPTURED IN BMP'S #1, #2, #3, AND #4. THESE ARE BIORETENTION FACILITIES (MDE F-6). BMP'S #1, #2, #3 AND #4 ARE OWNED AND MAINTAINED BY THE HOWARD COUNTY DISTORMAND COUNTY DISTORMAND. GIVEN THE MAINTAINED BY THE HOWARD COUNTY DISTORMAND. GIVEN THE MAINTAINED BY THE HOWARD COUNTY DISTORMAND.

KENDIGHT OF THE PROPOSED ON-STATE ON-HIS DEFT OF \$1, \$2, \$3, \$40, \$4. INCES ARE BURLETHING PAULILIES (FIDE 7-6), BPF 3 \$1, \$2, \$40, \$4. ALL DEFT ON STATE ON-HIS DEFT ON STATE ON-HIS DEFT OF STATE OF ST

CONTINUE IN VISION IN ACCORDANCE WITH SECTION 16.124 OF THE HOWARD COUNTY CODE AND THE LANDSCAPE SURERY IS REQUIRED SINCE THIS IS A HOWARD COUNTY BOARD OF EDUCATION PROJECT.

EDUCATION PROJECT.

3. ALL SIGN POSTS USED FOR TRAFFIC CONTROL SIGNS INSTALLED IN THE COUNTY RIGHT-OF-WAY SHALL BE MOUNTED ON A 2" GALVANIZED STEEL, PERFORATED ("QUICK PUNCH"), SQUARE TUBE POST (14 GAUGE) INSERTED INTO A 2-1/2" GALVANIZED STEEL, PERFORATED, SQUARE TUBE SLEEVE (12 GAUGE) — 3" LONG, THE ANCHOR SHALL NOT EXTEND MORE THAN TWO "QUICK PUNCH" HOLES ABOVE THE GROUND LEVEL A GALVANIZED STEEL, PLC AS SHALL BE NOUNTED ON TOP OF EACH POST.

30. THE WATER METER WILL BE INSTALLED INSIDE THE BUILDING, THE BUILDING, SHALL BE EQUIPPED WITH AN AUTOMATIC FIRE PERVENTION SPRINKLER SYSTEM.

31. A MARYLAND DEPARTMENT OF THE ENVIRONMENT MATIONAL POLLUTIANT IDSCHARGE NOI PERMIT WILL BE REQUIRED FOR THIS PROJECT. THE CONTRACTOR SHALL COMPLY WITH REQUIREMEND ON THE JOB SITE OUTLINED IN WINLETA-GOV/INDEX/STORMWATER/AJA/LONG.

BOILDING UNITERISIONS AND SHOWN OF STREET ST. ON STREET ST. ON CLEARING, GROUND SEE ST. ON CLEARING, GROUND OF ST. ON STREET ST. ON CLEARING, GROUND OF ST. ON STREET ST. ON CLEARING, GROUND OF ST. ON STREET ST. ON ST. ON STREET ST. ON ST.

33. NO CLASHING, GRAINING OR CONSTRUCTION IS PERMITTED WITHIN THE WELLANDS, STREAMS, OR THEIR REQUIRED BUFFERS UNLESS THE ACTIVITIES ARE CONSIDERED NECESSARY OR WAVERS

ARE APPROVED BY THE DEPARTMENT OF PLANNING AND ZONING,

34. THE CONTRACTOR SHALL NOTIFY MR. GREG CONNOR AT GROUND SERVICES (410-313-2577) ONE WEEK PRIOR TO FINE GRADING AND STABILIZATION OF ANY AREAS ON THE SCHOOL SITE.

35. THIS PLAN IS SUBJECT TO THE AMENDED FINAL DEVELOPMENT PLAN CRITERIA IN PHASE FORTY-FIVE—A-III.

36. THE PROJECT IS EXEMPT FROM THE REQUIREMENTS OF SECTION 16.1200 OF THE HOWARD COUNTY CODE FOR FOREST CONSERVATION BECAUSE THE SITE IS PART OF A PLANNED UNIT
DEVELOPMENT, NEW TOWN COLLIMBA.

37. THE AREA OF THE EXISTING PARKING AND EXISTING DRIVE ASSESSABLES AT THE WILDE LAKE HIGH SCHOOL ALONG WITH THE PROPOSED PARKING AND PROPOSED DRIVE ASSESSABLES SHOWN ON THIS

37. THE MILES OF THE EXISTING PRICKING AND EXISTING DRIVE ASSESS AT THE WILLDE LAKE HIGH SOFTON ADMIN THE PROPOSED PRICKING AND PROPOSED STREE ASSESS FROM CAT THIS SPACE.

36. THE FINAL DEVELOPMENT PLAN PHASE FORTY—FIVE—A—III RECORD PLATS WERE RECORDED AS PLAT NUMBERS 23022 THRU 23025 ON OCTOBER 24, 2014 AMONG THE LAND RECORDS OF HOWARD COUNTY MARKINAND.

39. HCP55 TO CONSIDER FUTURE PATHWAY CONNECTIONS TO NEARBY SITES TO PROMOTE WALKING AND BIKING ACCESS TO THE SCHOOL FROM THE SURROUNDING COMMUNITY.

APPROVED PLANNING BOARD OF HOWARD COUNTY



4. OPEN SPACE TABULATION:

| engineer und 13204, Expi | | nd. |
|-----------------------------|--|-----|
| | | |
| | | |

| DATE | DESCRIPTION | | | | | |
|---|--|--|--|--|--|--|
| | REVISION BLOCK | | | | | |
| APPROVED: DEPARTMENT OF PLANNING AND ZONING | | | | | | |
| Director - Department of Planning and Zoning Date | | | | | | |
| Chief, Division of Land Development Date | | | | | | |
| Chief, Dev | Chief, Development Engineering Division Date | | | | | |
| | | | | | | |

| PREPARED FOR |
|------------------------------------|
| IOWARD COUNTY PUBLIC SCHOOL SYSTEM |
| HARRIET TUBMAN BUILDING |
| 8045 HARRIET TUBMAN LANE |
| COLUMBIA, MARYLAND 21044 |
| Attention: SCOTT WASHINGTON |
| 410-313-6805 |
| |
| OF MARLIN |
| |

| NGTON | 280 |
|------------|---|
| THE COLUMN | PROJECT WILDE LAK PLAT NOS. L.15 F.90 & 91 WATER CODE |

| Parcel Numb | er | Street Address | | | | | | |
|--------------------------|-----------|--------------------|----------------|--------------------|------|-------|------------|--|
| 280 1048 | | | CROSS FOX LANE | | | | | |
| 200 | | COLUMBIA, MD 21044 | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| PROJECT | | | | SECTION/AREA F | | | PARCEL | |
| WILDE LAKE MIDDLE SCHOOL | | | | 11/1 | | 280 | | |
| PLAT NOS. | BLOCK NO. | ZONE | | TAX MAP | ELEC | DIST. | CENSUS TR. | |
| L.15 F.90 & 91 | 24,6 | NT | | 29,35 | FIF | TH. | 6054 | |
| WATER CODE E-30 | | | | SEWER CODE 5523900 | | | | |

Address Chart

VILLAGE OF WILDE LAKE

TITLE SHEET

WILDE LAKE MIDDLE SCHOOL

ZONED: NT PARCEL No.: 280 TAX MAP No.: 29 GRID No.: 24 TAX MAP No.: 35 GRID No.: 6 FIFTH ELECTION DISTRICT HOWARD COUNTY, MARY SCALE: AS SHOWN DATE: OCTOBER 24, 2014 HOWARD COUNTY, MARYLAND

SHEET 1 OF 54

